

Tel: +86-755-33953108
Website : www.bsled.com
Email: Sales24@bsled.com

Fax: +86-755-27483242
<http://bsled.en.alibaba.com>
Contact Person: Echo Yu

Company Address: 3/F, A Bldg, Fuchuan Industrial Park, 157 Tiegang Reservoir Rd,
Xixiang Town, Shenzhen City, Guangdong Province, China, 518102

Product Introduction of ChloroBA Series Grow Light


Model: BS096-160W (Square Lens)



Detailed Description

Key Features:


1. All 3W Single Chip LEDs with Square Optic Dual Lens
2. 4pcs cooling quiet fans
3. One switch to control whole light off and on
4. Detachable power cord, International Plugs available
5. No-glue and no-glass, easy for maintenance
6. The coverage area is 1.99 m² if the hang height is 0.6m above the plant
7. It can replace 500w-600w traditional HPS/MH light



Technical Specifications:

Item	Parameters	Item	Parameters
Max Power	160W	LED Quantity	100pcs 3W LED
Input Voltage	AC85-264V	Operating Frequency	50Hz/60Hz
Full Par Range	R&B&O	Beam Angle	90°
Working Temperature	-20℃ to 40℃	Life Span	50,000hours
Product Size	330 x 330 x 85	Net Weight	3.3kg
Packing size	410 x 410 x 130	Gross Weight	4.5kg

Growing Test:



Model: BS096-160W (Round Lens)

Detailed Description

Key Features:

1. All 3W Single Chip LEDs with Round Optic Duel Lens
2. 4pcs cooling quiet fans
3. One switch to control whole light off and on
4. Detachable power cord, International Plugs available
5. No-glue and no-glass, easy for maintenance
6. The coverage area is 1.99 m² if the hang height is 0.6m above the plant
7. It can replace 500w-600w traditional HPS/MH light

**Technical Specifications:**

Item	Parameters	Item	Parameters
Max Power	160W	LED Quantity	100pcs 3W LED
Input Voltage	AC85-264V	Operating Frequency	50Hz/60Hz
Full Par Range	R&B&O	Beam Angle	90°
Working Temperature	-20℃ to 40℃	Life Span	50,000hours
Product Size	330 x 330 x 85	Net Weight	3.3kg
Packing size	410 x 410 x 130	Gross Weight	4.5kg